Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



807/BS

Domestic Wool: Monthly average price per pound, Boston market, 1932

LIBRARY
RECEIVED
* DEC 3 1943 *

U.S. Department of Agriculture

1	
1	
1	
1	
1	
1	
1	
1	
1	
i	
	٥
	C
	5
	đ
	٤
	occurred pasts, it
	CC
	70
	*
	h
	1
	0
	0

Average	Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov.	Month
е . 478	\$.595 .575 .575 .483 .483 .483 .483	64's, Strictly: combing:
.421	252 252 252 252 252 252 252 252 253 253	French combing:
. 395	\$. 49 . 453 . 453	(Fine) Clothing
424	\$.515 .435 .435 .435 .435 .435	58's, :Strictly:
. 387	\$, 475 465 404 3528 395 395	58's, 60's (1/2 ctly: French ing combing
. 356	\$. 435 1435 1435 1435 1436 1436 1436 1436 1436 1436 1436 1436	Blood) Clothing
. 366	\$. 435 . 435 . 338 . 368 . 438 . 488 . 488	56's (7
. 318		56's (3/8 Blood) ictly : Clothing
. 325	\$.356 2248 278 278 2778 376 376	48's, 50's (1/4 Blood) Strictly: Clothing
. 286	\$. 3245 . 2555 . 2555 . 2505 . 3005	(1/4 Blood) Clothing
. 299	\$.34 .253 .253 .332 .3335	(Low & Blood) Strictly combing
.278	\$.33 .24 .295 .295 .205 .205 .205	d):36's, 40's, 44's Common and

Agricultural Marketing Service, U. S. Department of Agriculture.

** * **


8071Bs

Domestic Wool: Monthly average price per pound, Boston market, 1932

Scol	0
Scoured Basis, Territory	2
Basi	0
ţņ.	1
Ter	(
rito	(
ry	France &
	5000
	ALTO CANADA CATACO DATE MONTHER TO SOUTH MOTITION TO
	+

Average	ec.	Nov.	Oct.	Sept.	Aug.	July	June	May	Apr.	Mar.	Feb.	Jan.	MOHOH	60x+h
74ء	1.45	.467	. 485	.478	.406	. 365	• 3814	.436	. 491	.538	.56	\$.578	:Strictly combing	64's,
.436	, ¹ 12	, h28	tt.	‡	.377	. 339	.36	904	.462	.502	- 525	\$.535	: French combing	70's, 80's
+0t	. 382	. 398	. 41	141	. 343	.312	.336	. 374	.429	• 463	.492	\$. 495	Clothing	(Fine)
ग्राम्	. ¹ 43	· 442	. 5	844	.378	. 339	. 366	.412	.479	.511	- 535	\$. 54	: Strictly: I	58's, 60's (1/2
. u15	141	414	. 42	814	• 345	305	.339	. 38	944	184	.505	\$.51	French : combing :	
. 386	.38	. 384	. 39	. 386	. 316	. 286	.316	. 354	. 422	+54	.475	\$. 48	Clothing	Blood)
1,01,	.39	\$0 tu	. 425	, h28	. 342	.302	. 323	. 368	. H22	. 461	.49	\$.488	: Strictly combing	56's (3/8
. 365	.37	. 374	. 38	.379	.309	.276	.289	. 335	.386	TTH.	· 435	\$.435	Clothing	s (3/8 Blood)
. 36	. 37	. 383	. 40	. 398	.311	.276	. 286	. 321	. 364	388	. 411	\$. 415	Strictly combing	48's, 50'
. 322	. 34	• 3 ¹ 4	. 34	. 34	.277	. 245	. 254	. 282	. 336	• 354	. 38	\$.382	Clothing	48's, 50's (1/4 Blood)
.32	. 325	. 354	. 36	. 36	.277	. 24	. 248	. 292	. 324	. 346	. 36	\$. 356	strictly combing	(Low & Blood):
. 293	.30	. 321	. 325	. 325	. 247	.215	. 225	. 265	• 305	. 322	. 335	\$.336	: Common and : Braid): 36's, ho's, hh's

Agricultural Marketing Service, U. S. Department of Agriculture.



* 1 1 , r